



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

December 18, 2012

Mr. Cherylon Knuth
1122 Bead Lake Drive
Newport, Washington 99156

COPY

Re: Surface Water Permit No. S3-30479

Dear Mr. Knuth:

Enclosed is your permit to be retained for your records. Please read the enclosed information sheet, as well as your entire permit.

You must meet the provisions of your permit before we will issue a final *Certificate of Water Right*.

Our information indicates your system has been completed. We are enclosing a *Proof of Appropriation of Water form* which is to be filed when the water has actually been put to full beneficial use. This form will need to include your County Assessor's Parcel Number and must be notarized.

If you cannot put the water to full beneficial use by **December 1, 2013**:

- You may submit the *Proof of Appropriation* for a lesser quantity, or
- You must contact this office to apply for an extension.

If you have any questions, please contact Kevin Brown at 509-329-3422.

Sincerely,


Karen Tusa
Water Resources Program
Eastern Regional Office

KT:md

Enclosures: Permit

Proof of Appropriation of Water
Important Information About Your Water Right





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

PRIORITY DATE
September 27, 2005

PERMIT NUMBER
S3-30479

MAILING ADDRESS
Cherylon Knuth
1122 Bead Lake Drive
Newport, WA 99156

SITE ADDRESS (IF DIFFERENT)

Quantity Authorized for Withdrawal or Diversion

WITHDRAWAL OR DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.02	CFS	0.5

Purpose

PURPOSE	WITHDRAWAL OR DIVERSION RATE			ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
In-house single domestic supply and irrigation of 1/4 acre	0.02		CFS	0.5		01/01 - 12/31

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
PEND OREILLE	BEAD LAKE		62-PEND OREILLE

SOURCE FACILITY/DEVICE	PARCEL	QTR	QTR	TWP	RNG	SEC	LATITUDE	LONGITUDE		
BEAD LAKE	453209519004	NW	1/4	NE	1/4	32	45 E.	9	48.29695	-117.12048
Datum: NAD83/WGS84										

Place of Use (See Attached Map)

PARCELS (NOT LISTED FOR SERVICE AREAS)

453209519004

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Lot 3 Diamond Match within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 9, T. 32 N., R. 45 E.W.M.

Proposed Works

A small jet pump and pvc water lines

Development Schedule**BEGIN PROJECT**

Begun

COMPLETE PROJECT

Complete

PUT WATER TO FULL USE

December 1, 2013

Measurement of Water Use

How often must water use be measured?

Annually

How often must water use data be reported to Ecology?

Upon Request by Ecology

What volume should be reported?

Total Annual Volume

What rate should be reported?

Annual Peak Rate of Withdrawal (gpm or cfs)

Provisions**Measurements, Monitoring, Metering and Reporting**

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

This authorization shall be subject to Washington Department of Fish and Wildlife screening criteria as outlined in a Hydraulic Project Approval. Please contact the Department of Fish and Wildlife, 600 Capitol Way North, Olympia, Washington 98501-1091, Attention: Habitat Management Division, Phone (360) 902-2534, to obtain specific requirements for your project.

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Proof of Appropriation


The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Dated this 18th day of December, 2012, at Spokane, Washington,

Department of Ecology

DATA REVIEW
OK KT

by 
Keith L. Stoffel, Section Manager

KLS/KT:md

W: Permits/Tusa/2012/Knuth S3-30479 permit 12-18-2012.doc